

MB-10A BUTYL TAPE

STANDARD SIZE CHART

Product	Size	Case	Cases per Pallet
4797	3/16" Bead x 25'	48 Rolls	40
4798	3/16" Bead 40'	22 Rolls	40
4816	1/4" x 1/8" x 25'	48 Rolls	30
5297	1/4" x 3/16" x 40'	22 Rolls	40
5397	1/4" x 3/16" x 25'	48 Rolls	30
5399	1/4" x 3/16" x 1'	160 Pieces	40
5497	1/2" Bead x 10'	6 Rolls	150
5697	3/8" x 3/32" x 50'	24 Rolls	60
5698	3/8" x 3/32" x 62.5'	22 Rolls	60
5699	9.5mm x 2.5mm x 19mt	22 Rolls	64
5897	3/8" x 1/8" x 35'	48 Rolls	30
5997	3/8" x 3/32" x 45'	48 Rolls	30
6197	9mm x 3mm x 15mt	16 Rolls	64
6297	3/8" x 3/16" x 35'	13 Rolls	80
6598	1/2" x 1/16" x 50'	20 Rolls	60
6697	1/2" x 3/32" x 50'	20 Rolls	60
6797	1/2" x 3/32" x 50'	20 Rolls	60
6897	1/2" x 3/32" x 40'	40 Rolls	30
7597	1/2" x 1/8" x 35'	40 Rolls	30
7697	1/2" x 1/8" x 40'	20 Rolls	60
7997	1/2" x 3/16" x 30'	18 Rolls	40
7998	1/2" x 1/4" x 25'	18 Rolls	40
8197	5/8" x 3/16" x 25'	20 Rolls	60
9097	3/4" x 1/8" x 50'	12 Rolls	40
9098	3/4" x 1/8" x 50'	10 Rolls	64
9297	3/4" x 3/32" x 50'	12 Rolls	40
9696	3/4" x 1/16" x 50'	14 Rolls	60
9697	3/4" x 3/32" x 50'	14 Rolls	60
9797	3/4" x 3/16" x 25'	28 Rolls	30
9897	3/4" x 3/16" x 25'	14 Rolls	60
10397	7/8" x 3/16" x 25' Double Bead	24 Rolls	30

Product	Size	Case	Cases per Pallet
10697	7/8" x 3/16" x 15' Double Bead	24 Rolls	30
10797	7/8" x 3/16" x 40' Double Bead	10 Rolls	40
10798	7/8" x 3/16" x 29.53' Double Bead	10 Rolls	40
10897	1" x 1/8" x 50'	10 Rolls	40
11197	1" x 1/8" x 40'	12 Rolls	60
11297	1" x 3/16" x 35'	8 Rolls	64
11397	1" x 3/32" x 50'	10 Rolls	40
11498	1" x 3/32" x 45'	16 Rolls	60
11597	1 1/2" x 3/32" x 50'	8 Rolls	40
11690	1 1/4" x 3/32" x 50'	8 Rolls	40
11797	1" x 3/32" x 50'	12 Rolls	60
11897	1 1/4" x 1/8" x 30'	10 Rolls	60
11998	1 1/2" x 3/16" x 20'	10 Rolls	60
12097	2" x 3/16" x 25.5"	40 Pieces	50
12197	1 5/8" x 1/8" x 30'	10 Rolls	60
12397	2" x 3/16" x 35' Double Bead	4 Rolls	64
12497	3" x 1/8" x 3"	270 Strips	40
12997	2" x 3/32" x 35'	8 Rolls	60
13297	2" x 1/8" x 30'	8 Rolls	60
13298	2" x 3/8" x 9'	8 Rolls	40
13299	2" x 3/16" x 35'	4 Rolls	64
13300	2 1/2" x 1/8" x 40'	3 Rolls	64
13597	2 1/2" x 3/16" x 20' Triple Bead	6 Rolls	60
13598	2 1/2" x 3/16" x 34"	42 Rolls	30
13697	3" x 1/8" x 20'	8 Rolls	30
14097	300mm x 1mm x 10m	2 Rolls	60
41597	7/8" x 3/16" x 25' Double Bead	8 Rolls	64
41598	7/8" x 3/16" x 29.53' Double Bead	8 Rolls	64
41697	7/8" x 3/16" x 25' Tri-Bead	8 Rolls	64
41698	1 1/4" x 5/32" x 30' Tri-Bead	7 Rolls	60
44297	1" x 1/8" x 12"	100 Rolls	150

MB-10A BUTYL TAPE

STANDARD SIZE CHART

Product	Size	Case	Cases per Pallet	Product	Size	Case	Cases per Pallet
44497	1 3/8" x 7/32" x 4"	144 Pieces	50	44497	1 3/8" x 7/32" x 4"	144 Pieces	50
44597	4 1/2" x 1/8" x 3 3/4"	128 Pieces	40	62936	9mm x 3mm x 15mt	16 Rolls	64
44697	1 1/2" x 3/32" x 16"	90 Pieces	40	64297	Black 8" x 1/8" x 15'	2 Rolls	120
44797	2" x 3/8" x 4"	96 Pieces	50	65297	Black 2 1/2" x 1/8" x 15'	2 Rolls	150
56097	2 1/2" x 1/16" x 24"	100 Rolls	75	66096	2 1/2" x 1/16" x 45'	6 Rolls	60
62416	4mm Sq. Bead x 12mt	21 Rolls	64	66097	2 1/2" x 3/32" x 50'	3 Rolls	64
62486	19mm x 2mm x 22.5mt White	10 Rolls	64	66197	Black 2 1/2" x 3/32" x 12"	150 Rolls	27
62500	18mm x 4mm x 12mt Double Bead	10 Rolls	64	66198	Black 2 1/2" x 3/32" x 6"	300 Rolls	30
62516	15mm x 2mm x 22.5mt	10 Rolls	64	66297	Black 2 1/2" x 3/32" x 24"	75 Rolls	64
62526	38mm x 3mm x 15mt	6 Rolls	64	66798	Black 2 1/2" x 1/8" x 30'	6 Rolls	60
62536	50mm x 3mm x 15mt	4 Rolls	64	77197	3/4" x 1/8" x 50'	10 Rolls	64
62546	50mm x 6mm x 4.5M	8 Rolls	64	92910	9mm x 1.5mm x 30mt	16 Rolls	64
62606	6mm Sq. Bead x 8mt	21 Rolls	64	202390	3/4" x 3/32" x 50'	10 Rolls	64
62656	6mm x 5mm x 9.6mt	21 Rolls	64	207390	1" x 3/32" x 50'	8 Rolls	64
62866	8mm Sq. Bead x 6mt	16 Rolls	64	212390	3/4" x 1/8" x 50'	10 Rolls	64
				212490	1 1/4" x 3/32" x 50'	7 Rolls	64
				217190	1/2" x 1/8" x 50'	13 Rolls	64
				217390	1" x 1/8" x 50'	8 Rolls	64
				217490	1 1/2" x 1/8" x 50'	6 Rolls	60
				217590	1 1/2" x 1/8" x 30'	8 Rolls	40
				11197A	1" x 1/8" x 25'	12 Rolls	60
				11397A	1" x 3/32" x 45'	10 Rolls	40
				5397BLK	Black 1/4" x 3/16" x 25'	48 Rolls	30
				64297-MB	8" x 1/8" x 15'	2 Rolls	150
				6697A	1/2" x 3/32" x 45'	20 Rolls	60
				7597A	1/2" x 1/8" x 30'	40 Rolls	30
				7997BLK	Black 1/2" x 3/16" x 30'	18 Rolls	40
				9097BLK	3/4" x 1/8" x 50'	12 Rolls	40
				9697A	3/4" x 3/32" x 45'	14 Rolls	60



PRODUCT NAME:

MB-10A BUTYL TAPE

PRODUCT DESCRIPTION:

MB-10A Butyl Tape is a premier elastomeric butyl rubber sealant designed to meet the critical requirements of metal buildings. It also meets or exceeds all sealing requirements for window glazing, air conditioning, and refrigeration. MB-10A is extruded on silicone coated paper for easy application. It is produced in many different sizes and lengths to fit all application requirements. The rolls are securely packaged in cartons for convenience in job site storage and export.

PRODUCT ADVANTAGES:

MB-10A Butyl Tape offers many qualities that result in a superior seal, greater longevity, and easier application.

- Greater cohesive strength
- Superior adhesive strength
- Withstands extreme roof temperatures
- Superior low temperature compressibility
- Cold flow resistant
- Resistant to UV light
- Seal not affected by normal movement of building
- Wide service temperature range
- Extensive inventory of standard sizes
- Available in custom sizes and lengths


PRODUCT INSTALLATION:

Surface Preparation: All surfaces to be sealed should be free of dust, dirt, oil and moisture before applying sealant.

Working Conditions: For best results, apply in dry conditions above 40°F (4°C).

Application: Apply MB-10A to surface directly from roll. Press sealant through the silicone release paper with a smooth, even hand motion. Note: for metal roofing and siding applications, place sealant under the fastener to prevent wind blown rain from leaking through the fastener holes.

PRODUCT INSTALLATION DIAGRAM:



PRODUCT NAME:

MB-10A BUTYL TAPE

TEST RESULTS:

ASTM TESTS FOR PREFORMED SEALANT TAPES

TEST METHOD	DESCRIPTION	AVG.	σ	REPLICATES
ASTM D792	Specific Gravity, lb./gal	14.4	0.1	2
ASTM C765	Low Temperature Flexibility	No loss of adhesion or cracking		2
ASTM C771	Weight Loss after Heat Aging	0.44 No blisters	0.0	2
ASTM C772	Oil Migration/Plasticizer Bleed-Out	No stain		2
ASTM C782	Softness mm. penetration	12.1	0.4	5
ASTM C907	Tensile Adhesive Strength, lb. force	31.3 MOF: Cohesive	1.2	2
ASTM C908	Yield Strength, lb. force	8.3	0.5	2

NFRC TECHNICAL BULLETIN 36 CLASSIFICATION RESULTS (UK)

TEST	DESCRIPTION	PERFORMANCE CLASSIFICATION
1	Adhesion/Cohesion before and after accelerated heat ageing	A
2	Resistance to Slump and Creep	A
3	Water Resistance	A
4	Compression	A
5	Shear Retention	A

Lakeside Construction Fasteners warrants that its products will be in good quality thereby conforming to current specifications established on product sheet at the time of shipment. Buyer is responsible for determining whether Lakeside Construction Fasteners's products are fit for the buyer's particular purpose and suitable for its method of application. Specifications are subject to change without notice.

*ALL TESTS PERFORMED BY INDEPENDENT LABORATORIES. REPORTS AVAILABLE UPON REQUEST.